

ProQuartz - Single Broadcast - 40 or 25 mesh colored quartz aggregate


ProPoxy S, F or MB Pigmented Primer - (8-16 mils)

ProPoxy S or F Clear Base Coat- Blended Quartz Broadcast - 1/16" (40 mesh)

ProPoxy S or ProSpartic S or F Clear Grout/Top Coat - (16-18 mils)

ProThane S, F or HH Clear Finish Coat - (3-5 mils)

Concrete Substrate



*Note: Approximate thickness- variable with application method, size of aggregate, & substrate conditions.



ProQuartz - Double Broadcast- 40 or 25 mesh colored quartz aggregate


ProPoxy S, F or MB Clear Primer - (8-16 mils)

ProPoxy S or F Base Coat1- Blended Quartz Broadcast - 1/16" (40 mesh)

ProPoxy S or F Base Coat2- Blended Quartz Broadcast- 1/16" (40 mesh)

ProPoxy S or ProSpartic S or F Clear Grout/Top Coat - (16-18 mils)

ProThane S, F, or HH Clear Finish Coat - (3-5 mils)



*Note: Approximate thickness- variable with application method, size of aggregate, & substrate conditions.

