

P.O. Box 153, Cromwell, CT 06416-0153

877.511.3456 • www.prorezcoatings.com

Safety Data Sheet

ProREZ Coatings, LLC

Date Issued: 5/8/24 Version: 1.1

1. CHEMICAL PRODUCTS AND COMPANY IDENTIFICATION

Product Names/Trade Names: ProMender HF Part A

Chemical Family: Polyurethane ISO

Manufacturer's Name: ProREZ Coatings, LLC

PO BOX 153

Cromwell, CT 06416-0153 USA

General No.: (877) 511-3456 (8:00am to 5:00pm Eastern Time)

Company 24 Hour Emergency Response Information: CHEMTEL: 1-800-255-3924

Emergency telephone numbers are to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure, or accident involving chemicals. All non-emergency questions should be directed to customer service.

2. HAZARDS IDENTIFICATION

Classification of the substance

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

Label Elements

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Signal Word: Danger

Pictograms:





Hazard-determining components of labeling:

4,4'-methylenediphenyl diisocyanate

Diphenylmethanediisocyanate, isomeres and homologues

o-(p-isocyanatobenzyl)phenyl isocyanate



Causes chin irritation

Hazard Statements:

LI215

H313	Causes skin irritation.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
Precautionar	y Statements
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P284	In case of inadequate ventilation, wear respiratory protection.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves.
P280	Wear eye protection / face protection.
P264	Wash thoroughly after handling.
P272	Contaminated work clothing must not be allowed out of the workplace.
P305+P351+F	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses,
	if present and easy to do. Continue rinsing.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P363 Wash contaminated clothing before reuse.

P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Unknown acute toxicity:

30 % of the mixture consists of component(s) of unknown toxicity.



3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	% By Weight	CAS Number
4,4'-Methylendiphenyldiisocyanat	25% - 50%	101-68-8
Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4,		
H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT		
SE 3, H335		
Diphenylmethanediisocyanate, isomeres and homologues	25% - 50%	9016-87-9
Resp. Sens. 1, H334; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit.		
2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335		
o-(p-isocyanatobenzyl)phenyl isocyanate	10% - 15%	5873-54-1
Resp. Sens. 1, H334; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit.		
2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335		

4. FIRST-AID MEASURES

General: Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell..

Eye contact: Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

Skin Contact: Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

Inhalation: Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

Ingestion: Immediately call a doctor.

Most important symptoms and effects, both acute and delayed.

Overview: No specific symptom data available.

5. FIRE-FIGHTING MEASURES

Suitable Fire Extinguishing Media: Use fire fighting measures that suit the environment.

Unsuitable extinguishing media: Do not use; water jet.

Special hazards arising from the substance or mixture:

Thermal decomposition will produce toxic oxides of carbon.

Precautions for fire fighters: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.



6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear protective equipment. Keep unprotected persons away.

Environmental Precautions: Dilute with plenty of water. Do not allow to enter sewers/surface or ground water.

Methods for Cleaning up: Ensure adequate ventilation. Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

Information about protection against explosions and fires: No special measures required.

Storage: Store in a cool, dry place. Keep receptacle tightly sealed.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

4,4'-methylenediphenyl diisocyanate

PEL: Ceiling limit value: 0.2 mg/m³, 0.02 ppm
TLV: Long-term value: 0.051 mg/m³, 0.005 ppm
REL: Long-term value: 0.05 mg/m³, 0.005 ppm
Ceiling limit value: 0.2* mg/m³, 0.02* ppm

*10-min

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing and wash before reuse. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

Personal Protection:

Respiratory - NIOSH/OSHA or EN approved respiratory protection is recommended for use in airborne concentrations exceeding exposure limits.

Eyes - Tightly sealed goggles.

Skin - Protective gloves recommended. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/the chemical mixture. Select glove material based on penetration times, rates of diffusion and degradation.



9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Color: Light Yellow
	Physical State: Liquid
Odor	Not provided
Odor threshold	Not determined
рН	Not Measured
Melting point/freezing point	Not Measured
Boiling point/boiling range	190°C (374°F)
Flash Point	111°C (232°F)
Evaporation rate (Ether = 1)	Not Measured
Flammability (solid, gas)	Not Applicable
Ignition temperature	398°C (748°F)
Explosion limits:	Lower: 0.4 Vol %
	Upper: 3.1 Vol %
Vapor pressure (Pa)	Not Measured
Density @ 20°C (68°F)	1.13 g/cm³ (9.43 lbs/gal)
Relative Density	Not Measured
Solubility in Water	Fully miscible
Partition coefficient n-octanol/water	Not Measured
Viscosity	Not Measured
Solvent: Solids	30.0%

10. STABILITY AND REACTIVITY

Chemical stability: Stable under normal circumstances.

Thermal decomposition/Conditions to avoid: No decomposition if used according to specifications.

Possibility of hazardous reactions: No data available.

Incompatible materials: Strong oxidizers; Strong acids; Strong bases. **Hazardous decomposition products:** Phenolics, carbon monoxide.



11. TOXICOLOGICAL INFORMATION

Ingredient	Oral LD50,	Skin LD50,	Inhalation
	mg/kg	mg/kg	LC50, mg/L/4hr
4,4'-methylenediphenyl diisocyanate	2,200 (mouse)	>9,400 (rabbit)	>1000 (trout)
6846-50-0 2,2,4-Trimethyl-1,3-pentanediol diisobutyrate	>2000 (rat)	>2000 (mouse)	No data available.

Carcinogen Categories:

IARC (International Agency for Research on Cancer):

101-68-8 4,4'-Methylendiphenyldiisocyanat

9016-87-9 Diphenylmethanediisocyanate, isomeres and homologues

NTP (National Toxicology Program):

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

12. ECOLOGICAL INFORMATION

Toxicity

Aquatic Toxicity:

4,4'-methylenediphenyl diisocyanate

EC50 > 1000 mg/l (daphnia)

6846-50-0 2,2,4-Trimethyl-1,3-pentanediol diisobutyrate

EC50 >7.49 mg/l (Green algae)

Persistence and degradability: No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

Additional ecological information:

General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

Results of PBT and vPvB assessment:

PBT: Not applicable. vPvB: Not applicable.

Other adverse effects: No further relevant information available.



13. DISPOSAL CONSIDERATIONS

Waste Disposal: OMust not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

Uncleaned packagings

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14. TRANSPORT INFORMATION

DOT Classification: Not Regulated.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

SARA (Superfund Amendments and Reauthorization):

Section 355 (extremely hazardous substances): None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

4,4'-methylenediphenyl diisocyanate

9016-87-9 Diphenylmethanediisocyanate, isomeres and homologues

TSCA (Toxic Substances Control Act): All ingredients are listed or exempt from listing.

California Proposition 65:

Chemicals known to cause cancer: None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed.

Chemicals known to cause developmental toxicity: None of the ingredients are listed.

New Jersey Right-to-Know List:

4,4'-methylenediphenyl diisocyanate

9016-87-9 Diphenylmethanediisocyanate, isomeres and homologues

New Jersey Special Hazardous Substance List: None of the ingredients are listed.

Pennsylvania Special Hazardous Substance List:

4,4'-methylenediphenyl diisocyanate.

Carcinogenic categories:

EPA (Environmental Protection Agency):

4,4'-methylenediphenyl diisocyanate

9016-87-9 Diphenylmethanediisocyanate, isomeres and homologues

TLV (Threshold Limit Value established by ACGIH): None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health): None of the ingredients are listed.



16. OTHER INFORMATION

Hazardous Material Information System (HMIS):

Scale 0-4		NFPA	HMIS
4=Severe Hazard	Health	1	*1
3=Serious Hazard	Flammability	1	1
2=Moderate Hazard	Reactivity	0	0
1=Slight Hazard			
0=Minimal Hazard			

THE INFORMATION AND RECOMMENDATIONS PRESENTED HEREIN ARE ACCURATE TO THE BEST OF OUR KNOWLEDGE. USER MUST CONDUCT THEIR OWN TESTS TO DETERMINE THE SUITABILITY OF THESE PRODUCTS FOR THEIR PARTICULAR PURPOSES AND USAGE. BECAUSE OF NUMEROUS FACTORS AFFECTING RESULTS, PROREZ COATINGS, LLC AND ITS AFFILIATION MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR PURPOSE, OTHER THAN MATERIAL CONFORMS TO OUR APPLICABLE CURRENT SPECIFICATIONS. PROREZ COATINGS, LLC ASSUMES NO LEGAL RESPONSIBILITY FOR USE OR RELIANCE ON THE INFORMATION CONTAINED IN THIS SAFETY DATA SHEET.

END OF DATA SHEET





ProREZ Coatings, LLC P.O. Box 153, Cromwell, CT 06416-0153

877.511.3456 • www.prorezcoatings.com

Date Issued: 5/7/24 Version: 1.0

1. CHEMICAL PRODUCTS AND COMPANY IDENTIFICATION

Product Names/Trade Names: ProMender HF Part B

Chemical Family: MDI Polyisocyanate

Manufacturer's Name: ProREZ Coatings, LLC

PO BOX 153

Cromwell, CT 06416-0153 USA

General No.: (877) 511-3456 (8:00am to 5:00pm Eastern Time)

Company 24 Hour Emergency Response Information: CHEMTEL: 1-800-255-3924

Emergency telephone numbers are to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure, or accident involving chemicals. All non-emergency questions should be directed to customer service.

2. HAZARDS IDENTIFICATION

Emergency Overview: Danger. May cause allergic skin reaction. May cause skin, eye, and respiratory tract irritation. Harmful by inhalation and if swallowed.

Signal Word: Danger

Pictograms:



Hazard Statements:

H350 May cause cancer.

H320 Causes eye irritation.

H402 Harmful to aquatic life

H412 Harmful to aquatic life with long lasting effects

Precautionary Statements (Prevention)

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P264 Wash thoroughly after handling.

P201 Obtain special instructions before use.


P202 Do not handle until all safety precautions have been read and understood.

Precautionary Statements (Response)

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/attention. P337 + P313 If eye irritation persists: Get medical advice/attention.



Precautionary Statements (Storage):

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Unknown acute toxicity: 46.5 % of the mixture consists of component(s) of unknown toxicity.

Hazard(s) not otherwise classified (HNOC): None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	% By Weight	CAS Number
Glycerol, propylene oxide, ethylene oxide polymer Eye Irrit. 2B, H320	70 - 90%	9082-00-2
Distillates (petroleum), solvent-refined heavy paraffinic Carc. 1B, H350	10 - 30%	64741-88-4

4. FIRST-AID MEASURES

General information: Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

Inhalation: Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

Skin Contact: Wash with soap and water.

Eye contact: Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

Ingestion: If swallowed and symptoms occur, consult a doctor.

5. FIRE-FIGHTING MEASURES

Suitable Fire Extinguishing Media: CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture: Thermal decomposition will produce toxic oxides of carbon. **Advice for Fire Fighters:**

Protective Equipment: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.



6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Wear protective equipment.

Keep unprotected persons away.

Environmental Precautions: Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/surface or ground water.

Containment/Clean-up Measures: Ensure adequate ventilation.

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care. Prevent formation of aerosols.

Information about protection against explosions and fires: Keep protective respiratory device available.

Storage:

Requirements to be met by storerooms and receptacles: Store in a cool, dry place.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s): No further relevant information available.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Special Note for Exposure Control: Consult local authorities for further acceptable exposure limits.

Component	Result	ACGIH/OSHA
64741-88-4 Distillates (petroleum), solvent-	TWA	Short-term value: 1 mg/m³
refined heavy paraffinic		Long-term value: 3 mg/m ³

Additional information: The lists that were valid during the creation of this SDS were used as basis.

Exposure Controls:

Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing and wash before reuse. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin.

Breathing equipment: NIOSH/OSHA or EN approved respiratory protection is recommended for use in airborne concentrations exceeding exposure limits.



Hands: Protective gloves. Material of gloves: Rubber, latex or vinyl. Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

Eye Protection: Tightly sealed goggles.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical Form	Liquid	Explosion limits	
	_	Lower	0.5 Vol%
		Upper	3.1 Vol%
Color	Slight Amber	Odor	Odorless
Boiling Point	101°C (214°F)	Density @ 20°C (68°F)	1.29 g/cm ³ (10.765 lbs/gal)
Specific Gravity	Ca. 1.23 g/cm ³ @ 20°C	Solvent Content	
		Organic Solvents	0.0%
		Solids Content	17.9%
Flash Point	136°C (277°F)	Ignition Temperature	398°C (748°F)

10. STABILITY AND REACTIVITY

Chemical stability: Stable under normal conditions.

Thermal decomposition/conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions: No dangerous reactions known. **Conditions to avoid:** No further relevant information available. **Incompatible materials:** No further relevant information available.

Hazardous decomposition products: No further relevant information available.

11. TOXICOLOGICAL INFORMATION

Acute toxicity:

LD/LC50 values that are relevant for classification:

6846-50-0 2,2,4-Trimethyl-1,3-pentanediol diisobutyrate

Oral LD50 > 2000 mg/kg (rat)

Dermal LD50 > 2000 mg/kg (rabbit)

Primary irritant effect:

Skin: No irritating effect.

Eyes: Irritating effect.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful, Irritant

NTP (National Toxicology Program): None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration): None of the ingredients are listed.



12. ECOLOGICAL INFORMATION

Toxicity:

Aquatic toxicity:

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

6846-50-0 2,2,4-Trimethyl-1,3-pentanediol diisobutyrate

EC50 >7.49 mg/l (Green algae)

Persistence and degradability: No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available.

Ecotoxical effects:

Remark: Harmful to fish

Additional ecological information:

General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

Harmful to aquatic organisms

Results of PBT and vPvB assessment:

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects: No further relevant information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal: Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

Empty Container Precautions: Disposal must be made according to official regulations.

14. TRANSPORT INFORMATION

UN-Number: DOT, ADR, ADN, IMDG, IATA: Non-Regulated Material

UN proper shipping name: DOT, ADR, ADN, IMDG, IATA: Non-Regulated Material

Transport hazard class(es): DOT, ADR, ADN, IMDG, IATA

Class: Non-Regulated Material

Packing group:

DOT, ADR, IMDG, IATA: Non-Regulated Material

Environmental hazards: Not applicable. Special precautions for user: Not applicable.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable.

UN "Model Regulation": Non-Regulated Material



15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

SARA (Superfund Amendments and Reauthorization):

Section 355 (extremely hazardous substances): None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

9082-00-2	Glycerol, propylene oxide, ethylene oxide polymer
6846-50-0	2,2,4-Trimethyl-1,3-pentanediol diisobutyrate
64741-88-4	Distillates (petroleum), solvent-refined heavy paraffinic
64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic
64742-75-2	Naphthenic oils (petroleum), complex dewaxed heavy

NFPA Hazard codes: Health: 1 Fire: 1 Reactivity: 0

HMIS III rating: Health: 1^{II} Flammability: 1 Physical Hazard: 0

16. OTHER INFORMATION

Hazardous Material Information System (HMIS):

Scale 0-4		NFPA	HMIS
4=Severe Hazard	Health	1	1¤
3=Serious Hazard	Flammability	1	1
2=Moderate Hazard	Reactivity	0	0
1=Slight Hazard	Physical Hazard		
0=Minimal Hazard			

THE INFORMATION AND RECOMMENDATIONS PRESENTED HEREIN ARE ACCURATE TO THE BEST OF OUR KNOWLEDGE. USER MUST CONDUCT THEIR OWN TESTS TO DETERMINE THE SUITABILITY OF THESE PRODUCTS FOR THEIR PARTICULAR PURPOSES AND USAGE. BECAUSE OF NUMEROUS FACTORS AFFECTING RESULTS, PROREZ COATINGS, LLC AND ITS AFFILIATION MAKES NO WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR PURPOSE, OTHER THAN MATERIAL CONFORMS TO OUR APPLICABLE CURRENT SPECIFICATIONS. PROREZ COATINGS, LLC ASSUMES NO LEGAL RESPONSIBILITY FOR USE OR RELIANCE ON THE INFORMATION CONTAINED IN THIS SAFETY DATA SHEET.

END OF DATA SHEET

